


**TO/HSOP/HSON**

# TO/HSOP/HSON

## ● TO-252





TO Series (Unit:mm)

Lead Count	Body Width	Body Length	Body Thickness	Stand-off	Lead Pitch	Lead Material	Die Face Up/Down
2	6.10	6.60	2.30	0.0635	2.30	Cu	U
3	6.10	6.60	2.30	0.0635	2.30	Cu	U
3(92A)	5.00	5.00	3.80	-	2.50	Cu	U
5	6.10	6.60	2.30	0.0635	1.27	Cu	U
7	6.10	6.60	2.30	0.0635	0.88	Cu	U

# TO/HSOP/HSOP


## ●HSOP



HSOP Series (Unit:mm)

Lead Count	Body Width	Body Length	Body Thickness	Stand-off	Lead Pitch	Lead Material	Die Face Up/Down
6J	3.90	5.02	1.50	0.15	3.81	Cu	U
8AW	4.40	5.00	1.50	0.05	1.27	Cu	U
8JA	3.90	5.02	1.50	0.03	1.27	Cu	U
8JN	3.90	5.02	1.50	0.15	1.27	Cu	U
8N	4.40	5.20	1.50	0.05	1.27	Cu	U
T20E	4.40	6.50	1.00	0.10	0.65	Cu	U
28C	7.60	17.60	1.80	0.10	0.80	Cu	U
28N	7.50	18.60	2.20	0.10	0.80	Cu	U
36A	7.60	17.60	1.80	0.10	0.80	Cu	U

## ●HSOP



HSOP Series(Unit:mm)

Lead Count	Body Width	Body Length	Body Thickness	Stand-off	Lead Pitch	Lead Material	Die Face Up/Down
6	2.80	2.90	0.80	-	0.95	Cu	U

## **ATTENTION**

**This material contains confidential information and it is hereby notified that any disclosure, copying, distribution, or the taking of any action reliance on the contents of this material is strictly prohibited without a prior written consent of AOI Electronics.**

**Thank you very much for your understanding in advance.cc**