


TO/HSOP/HSON

TO/HSOP/HSON

● TO-252





TO シリーズ (Unit:mm)

Lead Count	Body Width	Body Length	Body Thickness	Stand-off	Lead Pitch	Lead Material	Die Face Up/Down
2	6.10	6.60	2.30	0.0635	2.30	Cu	U
3	6.10	6.60	2.30	0.0635	2.30	Cu	U
3(92A)	5.00	5.00	3.80	-	2.50	Cu	U
5	6.10	6.60	2.30	0.0635	1.27	Cu	U
7	6.10	6.60	2.30	0.0635	0.88	Cu	U

TO/HSOP/HSOP

●HSOP




HSOP シリーズ (Unit:mm)

Lead Count	Body Width	Body Length	Body Thickness	Stand-off	Lead Pitch	Lead Material	Die Face Up/Down
6J	3.90	5.02	1.50	0.15	3.81	Cu	U
8AW	4.40	5.00	1.50	0.05	1.27	Cu	U
8JA	3.90	5.02	1.50	0.03	1.27	Cu	U
8JN	3.90	5.02	1.50	0.15	1.27	Cu	U
8N	4.40	5.20	1.50	0.05	1.27	Cu	U
T20E	4.40	6.50	1.00	0.10	0.65	Cu	U
28C	7.60	17.60	1.80	0.10	0.80	Cu	U
28N	7.50	18.60	2.20	0.10	0.80	Cu	U
36A	7.60	17.60	1.80	0.10	0.80	Cu	U



TO/HSOP/HSON

●HSON



HSON シリーズ(Unit:mm)

Lead Count	Body Width	Body Length	Body Thickness	Stand-off	Lead Pitch	Lead Material	Die Face Up/Down
6	2.80	2.90	0.80	-	0.95	Cu	U



ATTENTION

本資料には機密情報が含まれておりますので、事前にアオイ電子の書面による承諾がない限り、本資料の内容を開示、複製、配布、またはそれに依拠した行為を固く禁じます。予めご了承くださいませようお願い申し上げます。