Tester Lineup

Tester Lineup

	Model																		Cate	orv															
Supplier		Battery Peripheral																																	
				Hi	gh	Power						- Logic/ Mixed signal					memory		MOSFET		RF							Sensor				Automotive			
		General AOI HCA		Precision		2A 5A			10A		1MHz		10MHz		100	100MHz		,				6GHz		14GHz		25GHz		43GHz		Light		netic			
				AOI HCA															AOI HCA		AOI HCA				_								_	AOI	HCA
Spandnix	SX-1300	•	•	7101	1101	7101	110/1	7101	i i Gi	7101	110/1	7101	110	710.	110	1710	TIG!	7101		7101	TION	7101	i i G	7101	i i c	7101	TIO.	7101	TTG 1	•	1101	•	•	7101	TIGH
·	SX-2000 series	ř	•								\vdash			\vdash	\vdash	+	1													_		ř	Ť		
	SX-30XX series	•	•	•	•	•	•	<u> </u>		<u> </u>		A	A	\vdash	\vdash	+																	•	•	•
	SX-5000 seiries	•	Ť	•	Ť	Ť	Ť	_		_		•	Ι-	•	\vdash	•	 	•				•											Ť		
	WL-15Z	•	•	•	•	•	•	•		A		A	A		T	T														•		•		•	•
	WL-15VW	•		•		•		•		A		A		T	T	T																		•	
	WL-25	•	•	•	•	•	•	A		A		•																		•		•		•	•
Yokogawa	TS1000 serieis	•	•	•	•	•	•					•	•																						
	R2172																		•																
	T33 series																		•																
	T65 series																		•																
	T53 series																		•																
	EVA100	•		•								•		•		•		•																•	
	981-TT/391-TT																			•															
	881-TT																			•															
HEV	HA5060 series																																		
Yamada	SXE0325-D42																		•																
Fujita	Sep-00																																		
	HA5000 series																		•																
own product	RF test system																						•		•		•		•						

<u>ATTENTION</u>

This material contains confidential information and it is hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance on the contents of this material is strictly prohibited without a prior written consent of AOI Electronics. Thank you very much for your understanding in advance.